



Green Electrical Supply

maximize your green[®]

www.GreenElectricalSupply.com

LED Bypass/Line Voltage T8 Tube Lights : Double-Ended



9/12/
14/17
watts

1,700
lumens

2'/
3'/4'

80+
CRI

Features

- Solid state replacement for 2', 3', or 4' T8 linear fluorescent
- Double-ended
- Frosted lens for uniform diffuse appearance
- No external ballast or driver required
- Ultra-high performance LEDs deliver 121+ lpw
- Lifetime exceeds 50,000 hrs
- Choice of 3500K, 4000K, or 5000K CCT
- Instant-On with no warm up like fluorescents
- RoHS compliant mercury-free for safer operation



Performance

- 2' 9W LED replaces 17W fluorescent
- 3' 12W LED replaces 24W fluorescent
- 4' 14W LED replaces 28W fluorescent
- 4' 17W LED replaces 32W fluorescent
- Long life: 50,000 hours
- 80+ CRI
- Integral 120~277V drivers provide easy installation
- Wide ambient temperature range from -20°C (-4°F) to 45°C (113°F)
- <20% Total Harmonic Distortion
- For use with non-shunted tombstone lampholders
- Contains no mercury or lead; classified as non-hazardous waste


Applications

- Commercial
- Conference rooms
- Hospitality
- Education
- Healthcare
- Retail
- Residential



LED Bypass/Line Voltage T8 Tube Lights : Double-Ended

Dimensions



Ordering Information

Order Code	Item #	Length	W	Lm	CCT	CRI	Appearance	Life/Hrs	DLC v4.1
09589	LED9WT8/24/840-DBL-G7D	2'	9W	1,150	4000K	80+	Frosted	50K	✓
09599	LED9WT8/24/850-DBL-G7D	2'	9W	1,150	5000K	80+	Frosted	50K	✓
09600	LED12WT8/36/835-DBL-G7D	3'	12W	1,400	3500K	80+	Frosted	50K	✓
09601	LED12WT8/36/840-DBL-G7D	3'	12W	1,450	4000K	80+	Frosted	50K	✓
09602	LED12WT8/36/850-DBL-G7D	3'	12W	1,450	5000K	80+	Frosted	50K	✓
09594	LED14WT8/48/835-DBL-G7D	4'	14W	1,700	3500K	80+	Frosted	50K	✓
09595	LED14WT8/48/840-DBL-G7D	4'	14W	1,700	4000K	80+	Frosted	50K	✓
09603	LED14WT8/48/850-DBL-G7D	4'	14W	1,700	5000K	80+	Frosted	50K	✓
09604	LED17WT8/48/835-DBL-G7D	4'	17W	2,100	3500K	80+	Frosted	50K	✓
09605	LED17WT8/48/840-DBL-G7D	4'	17W	2,100	4000K	80+	Frosted	50K	✓
09606	LED17WT8/48/850-DBL-G7D	4'	17W	2,200	5000K	80+	Frosted	50K	✓

NOTE: Use order code when ordering.

✓ DesignLights Consortium® v4.1 Qualified

watch > like > follow

