



Green Electrical Supply

maximize your green[®]

www.GreenElectricalSupply.com

One Head LED Dusk to Dawn Security Light



General Product Information:

Common Model Numbers

SE1091-BP2-01LF0-G

SE1091-BP2-01LF0-S

Construction:	DIE CAST HOUSING
Finish:	BP2 Satin Aged Bronze
Diffuser Material:	PC
Diffuser Finish:	Diamond Pattern
Mounting:	Wall/Eave/Surface Mount
Head Adjustment:	Horizontal 80°/Vertical 30°
Motion Detection Range:	NA
Application Type:	Wet Location
Safety Listing:	ETL
Energy Star:	Yes


Good Earth Lighting

LED lighting facts
A Program of the U.S. DOE

Light Output (Lumens)	1653
Watts	16.3
Lumens per Watt (Efficacy)	101.44

Color Accuracy
Color Rendering Index (CRI) **82**

Light Color
Correlated Color Temperature (CCT) **5144 (Daylight)**



2700K 3000K 4500K 6500K

All results are according to IESNA LM-79-2008: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the Label Reference Guide.

Registration Number: YP1G-AONWS1 (9/20/2016)
Model Number: SE1091-XXX-01LF0-X
Type: Luminaire - Directional

Dimensional Information:

ADA Compliant:	No
Chain/Stem Length:	NA
Canopy Dia.:	NA
Fixture Dimensions:	5"x4 1/4"x5 1/2"
Fixture Weight:	1.19

Electrical Information:

Lamp Included:	Yes
Lamp Type:	LED
LED Qty:	16
Lamp Wattage:	16.30W
Lamp CCT:	5144K
Lamp CRI:	82.9
Lamp Life:	50000 Hrs
Total Lumens:	1653.42
Dimming:	NA
Dimming Type:	0
Ballast/Driver:	Model:LD007-PSL19 (CC, output: 600mA)
Input Voltage:	120V, 60Hz, 0.2A
Battery Included:	NA
Battery Type:	NA
Battery Life at Full Charge:	NA
Power Cord:	NA
Linkable:	NA
Connector Cord:	NA
Power Switch:	NA- Direct Wire



©2016 Good Earth Lighting

1400 East Business Center Dr, Ste 108 | Mount Prospect, IL 60056

800 -291 -8838

Visit us at: www.goodearthlighting.com