



Green Electrical Supply[®]

maximize your green[®]

GreenElectricalSupply.com

KT-LED6A19-O-8XX REPLACEMENT LAMP

DESCRIPTION

6W A19 Lamp | 2700–5000K | >80 CRI | Omni-Directional



RoHS
 Compliant

2YEAR
 WARRANTY

| |
|---|
| LAMP TYPE: A19 |
| BASE TYPE: E26 (Medium) |
| WATTAGE: 6W |
| COLOR TEMPERATURE: 2700–5000K |
| COLOR RENDERING INDEX (CRI): >80 |
| WARRANTY: 2 Years |
| RATED LIFE: L70 (15,000 Hours) |



TYPICAL APPLICATIONS

- Table, Desk, and Floor Lamps
- Wall Sconces
- Surface Mount Ceiling Fixtures
- General Lighting
- Pendant Lights

PRODUCT FEATURES

- Energy Efficient, 80%+ Energy Savings over Legacy Equivalents
- Lower Heat Generation than Legacy Equivalents
- PF >0.90
- Complies with Part 15 of FCC
- ANSI complaint construction ensures fitment for intended applications
- UL enclosed rated, suitable for use in totally enclosed luminaires
- Operating temperature range –4°F/–20°C to 95°F/35°C
- Long Life minimizes replacement and maintenance costs
- Meets Energy Star requirements
- UL Listed
- Smooth diffused lens for comfortable glare free performance
- Durable Plastic housing lowers the risk for breakage
- Smooth, uniform dimming


ELECTRICAL AND PERFORMANCE SPECIFICATIONS

| Keystone Catalog Number | Description | Color Temp | Input Voltage | Rated Lamp Wattage | Legacy Equivalent Wattage | Base Type | Lumens | CRI | Light Distribution | Dimmable | Efficacy |
|-------------------------|--------------------------------------|------------|---------------|--------------------|---------------------------|-----------|--------|-----|--------------------|----------|----------|
| KT-LED6A19-O-827 | A19 bulb. Omni-Directional, dimmable | 2700K | 120V | 6W | 40W halogen | E26 | 450 | >80 | 230° | Yes | 75 lm/W |
| KT-LED6A19-O-830 | A19 bulb. Omni-Directional, dimmable | 3000K | 120V | 6W | 40W halogen | E26 | 450 | >80 | 230° | Yes | 75 lm/W |
| KT-LED6A19-O-850 | A19 bulb. Omni-Directional, dimmable | 5000K | 120V | 6W | 40W halogen | E26 | 450 | >80 | 230° | Yes | 75 lm/W |

KT-LED6A19-0-8XX

REPLACEMENT LAMP

PHYSICAL CHARACTERISTICS



PACKAGING

| | |
|-------------------|-----------------------|
| Carton Quantity | 60 pcs |
| Carton Dimensions | 15.55" × 13.07" × 10" |
| Carton Weight | 10.6 lbs |

LAMP DIMENSIONS

| | |
|--------------|-------|
| A (Length) | 4.33" |
| B (Diameter) | 2.36" |

BASE TYPE: E26 (Medium)

ORDERING INFORMATION

| ORDER CODE | CARTON QUANTITY | ITEM STATUS |
|------------------|-----------------|-------------|
| KT-LED6A19-0-8XX | 60 pcs | Active |

CATALOG NUMBER BREAKDOWN

KT-LED6A19-0-8XX

1 2 3 4 5 6 7

- 1 Keystone Technologies
- 2 LED Lamp
- 3 Wattage
- 4 Lamp Shape
- 5 Omni-Directional
- 6 800 Series
- 7 Color Temperature