



Green Electrical Supply[®]

maximize your green[®]

GreenElectricalSupply.com

Project Name

Location

Prepared By



SATCO S13113

80W/LED/HID-HB/5K/120-277V

Notes

[www] 09-10-2020 02:07:43

General

Status	Active
Watts	80
HID Equivalent	250
Volts	120V-277V
Base	Mogul Extended
ANSI Base	EX39
Finish	Translucent White
CCT (Kelvin)	5000
Temperature	Natural Light
CRI	80
Lumens	9700
Beam Spread	115
Dimmable	Non-Dimmable
Hours Rated	50000
Lamp Type	Hi-Bay
Technology	LED
Min Compartment Size	Length 13.5 in. Width 13.5 in. Height 12 in.

Electrical

Operating Frequency	50-60 Hz
Power Factor	0.99/0.93
Surge Protection	Built-in surge protection - 6KV
Operating Temperature	-40C (-40F) to a maximum of +60C (+140F)

Physical

MOL	10.13
MOD	7.47
Housing Color	White
Weight (lb.)	1.72

Additional Information

Enclosure Rating	Enclosed Rated Lamp
Rated For Enclosed Fixture	Yes
Warranty	5 Year Limited - Hi-Pro

Compliance

Safety Listing	cULus
Location Rating	Damp
Energy Star	Pending
DLC Approved	Yes
DLC ID	PLGNRDM1FZ8B
CEC Status	Lawful for sale in California
RoHS Compliant	Yes
SDS Sheet	LED_Lamp

