



# Green Electrical Supply

maximize your green<sup>®</sup>

[www.GreenElectricalSupply.com](http://www.GreenElectricalSupply.com)



# S8916

8.5A19/LED/40K /120-277V  
 8.5 watt; A19 LED; 4000K; Medium base; 220° beam spread;  
 120-277 volts

### Features

- Solid State LED lighting
- A shaped replacement lamp
- Long life
- Approved for enclosed fixtures
- 120-277V



S8916

Item Number	UPC	Voltage	Watts	Operating Frequency	Incandescent Equivalent	Power Factor	Lamp Shape
S8916	045923089169	120-277	8.5	50/60Hz	60W	0.91 / 0.77	A19
Base	ANSI Base	Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens
Medium	E26	8.5A19/LED/40K /120-277V	Non-Dimmable	Frosted	4-3/16"	2-3/8"	800
Average Rated Hours	Kelvin Temp	Color	CRI	Beam Spread Deg	Operating Temperature	Pack	Package Type
25000	4000	Cool White	80	220	-25C (-13F) to a maximum of +45C (+113F)	24	Box
CEC Status	RoHS Compliant	Fixture Type	UL or ETL Listed	UL Classification	Warranty		
Non-Compliant	Yes	Enclosed Rated	Yes	cULus - Damp Location Rated	<a href="#">5 Year Limited - 10 hour use per day</a>		



National Toll-Free:  
800.43.SATCO  
(800.437.2826)  
[www.satco.com](http://www.satco.com)

Distribution Centers:  
New York, Florida, Texas,  
Washington, California,  
Puerto Rico

Corporate Offices:  
110 Heartland Blvd.,  
Brentwood, NY 11717  
800.437.2826 631.243.2022  
Fax 631.243.2027

