



Green Electrical Supply[®]

maximize your green[®]

GreenElectricalSupply.com

Project Name

Location

Prepared By



Notes

[www] 07-20-2020 00:51:24

General

Status	Discontinued
Substitute	S39769
Watts	75
Incandescent Equivalent	750
Fluorescent Equivalent	105
HID Equivalent	400
Volts	100V-277V
Shape	Comcob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	5000
Temperature	Natural Light
CRI	80+
Lumens	9800
Beam Spread	360
Dimmable	Non-Dimmable
Hours Rated	50000
Lamp Type	Comcob
Technology	LED
Min Compartment Size	Length 8.27 in. Width 9.25 in. Depth 9.25 in.
Ballasting Requirements	Directwire voltage 100-277V

Electrical

Operating Frequency	50/60 Hz
Dimming Type	N/A
Power Factor	>0.9
Burning Position	Up or Down Operation Only
Surge Protection	Built-in surge protection - 3KV
Operating Temperature	-25C (-13F) to a maximum of +45C (+113F)

Physical

MOL	8.63
MOD	4.19
Housing Color	White
Weight (lb.)	2.4

Additional Information

Additional Info	Width 360 deg 4.2 in.; Width 270 deg 9.3 in.; Width 180 deg 10.9 in. Approved for totally enclosed fixtures; Base up or base down operation; For outdoor & indoor use; Emits no UV light / Contains no Mercury (Hg)
Enclosure Rating	Enclosed Rated Lamp
Rated For Enclosed Fixture	Yes
IP Rating	IP65
Warranty	5 Year Limited - Hi-Pro

Compliance

Safety Listing	cULus
Location Rating	Damp
Energy Star	No
DLC Approved	No
CEC Status	Lawful for sale in California
RoHS Compliant	Yes
SDS Sheet	LED_Lamp

