




**Green Electrical Supply**

maximize your green<sup>®</sup>

[www.GreenElectricalSupply.com](http://www.GreenElectricalSupply.com)

PROJECT NAME:
NOTES:
PART NUMBER:
DATE:

## LED STRIP FIXTURE—4'



### PRODUCT DESCRIPTION:

The LED Strip Fixture is the workhorse for commercial and industrial applications. The TechBrite LED Strip Fixture combines the latest LED technology, generating as much as 140 LPW in the high efficiency model. Remove your old, inefficient fluorescent lighting, saving as much as 60% in energy, while improving light levels and lowering maintenance costs. TechBrite's LED Strip Fixture is easy to install and compact, making it an ideal solution for dozens of applications. The LED Strip Fixture is available in lumen packages from 2360 to 11500 lumens, making it the perfect solution for any environment.

### FEATURES:

- New construction or retrofit applications
- Tool-less channel cover for easy installation
- Continuous row mounting available
- Energy & operational savings
- Available in 4' and 8' (See 8' spec sheet for details)
- Up to 140 LPW\*
- 0-10v Dimming standard
- Limited warranty: 5 years on luminaire

### PERFORMANCE SPECIFICATION:

Lumens	5703
Watts	44.3
LPW	128.7
Color	4798
CRI	84.5
L70	L70 @ > 85,000 hrs
L85	L85 @ > 40,000 hrs
Max Ambient Temp	125° F
Min Ambient Temp	-4° F
Dimming	0-10v Dimming to 1%
Driver Voltage	120/277
Chip	Samsung B+ S4
Driver	D15CC55UNVTW-C


\* Actual performance data for QS44SS1B50AXXX

\* UL Verification Services Inc Test # 11547035.1 and 11721483.02

\* In high efficiency configuration



## DIMENSIONS:



## FREQUENTLY ORDERED PART NUMBERS:

Part Number	Lumens	Watts	LPW	Color	Description	Dimensions	Weight
T44SS1B35Z0000	2190	17	139	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40Z0000	2260	17	140	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50Z0000	2360	17	147	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35Y0000	4050	31	132	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40Y0000	4050	31	132	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50Y0000	4210	31	137	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35A0000	5610	45	126	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40A0000	5690	45	128	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50A0000	5700	45	128	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35B0000	6410	52	125	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40B0000	6440	52	125	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50B0000	6450	52	126	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35C0000	7450	55	140	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40C0000	7590	55	140	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50C0000	7590	55	140	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35D0000	9590	72	134	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40D0000	9630	72	135	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50D0000	9870	72	138	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B35E0000	11060	89	126	3500K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B40E0000	11260	89	128	4000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)
T44SS1B50E0000	11550	89	132	5000K	LED Strip Fixture 4ft	48.00 x 4.50 x 2.00 (inches)	6.36 (lbs)